



## YV2.7×2.2SA-2

### Auto Iris Megapixel Rated Lens

#### Features

- High image-quality monitoring with optical performance
- WIDE 2.2mm, achieving a horizontal field angle of 120 degrees (when used on 1/3 cameras).
- Compact and lightweight design..
- Designed to maximize optical performance with high-accuracy aspheric lens, low-dispersion glass, and high refractive-index glass.

## Technical Information

Focal Length (mm)		2.2 - 6 (2.7x)	
Iris Range		F1.3 - Close	
Operation	Zoom	Manual	
	Focus	Manual	
	Iris	Manual	
Angle of view (HXV)	1/3"	WIDE	120°00" x 91°36"
		TELE	46°26" x 34°59"
	1/4"	WIDE	91°36" x 69°21"
		TELE	34°59" x 26°18"
Focusing Range From Front Of The Lens) (m)		∞ - 0.3	
Object Dimension at M.O.D (HxV) (mm)	1/3"	WIDE	1075 x 638
		TELE	266 x 196
	1/4"	WIDE	638 x 429
		TELE	196 x 145
Back Focal Distance (in air) (mm)		7.70	
Exit Pupil Position (From Image Plane) (mm)		-452	
Filter Thread (mm)		-	
Mount		CS	
Mass (g)		55	
Remarks		. With Metal Mount	

## Ordering information

YV2-7x2-2SA-SA2 Fujinon 2.2-6mm DC auto iris megapixel rated lens

For further information on how ADT can help you, contact your local office or phone free on **0800 010 999** or visit us at [www.adt.co.uk](http://www.adt.co.uk)

CE

Head Office: ADT Fire and Security plc, Security House, The Summit, Hanworth Road, Sunbury-on-Thames, Middlesex TW16 5DB.  
ADT and the ADT logo are registered trademarks of ADT Services AG and are used under license.  
ADT reserves the right to modify or withdraw any product or service without notice.

Ref No PSS335A Issue 1 March 2010

© 2010 Tyco International



ADT Always There®