



## YV3.3×15SA-2

### Vari-Focal Lens

#### Features

- High image-quality monitoring with optical performance
- f15-50mm, 3.3x zooming application compatible lens.
- Designed to maximize optical performance with high-accuracy aspheric lens, low-dispersion glass, and high refractive-index glass.

## SPECIFICATIONS

### Technical Information

Focal Length (mm)		15 - 50 (3.3x)	
Iris Range		F1.5 - Close	
Operation	Zoom	Manual	
	Focus	Manual	
	Iris	Manual	
Angle of view (HXV)	1/3"	WIDE	18°08" x 13°34"
		TELE	5°35" x 4°12"
	1/4"	WIDE	13°34" x 10°10"
		TELE	4°12" x 3°10"
Focusing Range From Front Of The Lens) (m)		∞ - 0.8	
Object Dimension at M.O.D (HxV) (mm)	1/3"	WIDE	271 x 202
		TELE	87x 66
	1/4"	WIDE	202 x 151
		TELE	66 x 49
Back Focal Distance (in air) (mm)		MIN 7.7	
Exit Pupil Position (From Image Plane) (mm)		-36	
Filter Thread (mm)		-	
Mount		CS	
Mass (g)		60	
Remarks		. With Metal Mount	

### Ordering information

YV3-3x15SA-SA2 Fujinon 15-50mm DC auto iris megapixel rated lens

For further information on how we can help you please visit our website at [www.tycofis.com](http://www.tycofis.com) or e-mail us on [tycofis@tycoint.com](mailto:tycofis@tycoint.com). The right is reserved to modify or withdraw any product or service without notice. PSS337TFIS Issue 1 March 2010 © 2010

*a vital part of your world*

**tyco**

*Fire & Integrated  
Solutions*