

YV4.3×2.8SA-2

Vari-Focal Lens



Features

- High image-quality monitoring with optical performance
- Wide f2.8-12mm range accommodates various applications
- Designed to maximize optical performance with high-accuracy aspheric lens, low-dispersion glass, and high refractive-index glass.

SPECIFICATIONS

Technical Information

Focal Length (mm)		2.8 - 12 (4.3x)	
Iris Range		F1.4 - Close	
Operation	Zoom		Manual
	Focus		Manual
	Iris		Manual
Angle of view (HXV)	1/3"	WIDE	100°02" x 74°03"
		TELE	23°26" x 17°36"
	1/4"	WIDE	74°03" x 55°06"
		TELE	17°36" x 13°13"
Focusing Range From Front Of The Lens) (m)		∞ - 0.3	
Object Dimension at M.O.D (HxV) (mm)	1/3"	WIDE	753 x 476
		TELE	131 x 98
	1/4"	WIDE	476 x 329
		TELE	98 x 73
Back Focal Distance (in air) (mm)		7.83	
Exit Pupil Position (From Image Plane) (mm)		455	
Filter Thread (mm)		—	
Mount		CS	
Mass (g)		80	
Remarks		. With Metal Mount	

Ordering information

YV4-3x2-8SA-SA2 Fujinon 2.8-12mm DC auto iris megapixel rated lens

For further information on how we can help you please visit our website at www.tycofis.com or e-mail us on tycofis@tycoint.com. The right is reserved to modify or withdraw any product or service without notice. PSS338TFIS Issue 1 March 2010 © 2010

a vital part of your world

tyco

*Fire & Integrated
Solutions*